

| | |
|--------------------|----------------|
| ΑΡΙΘΜΟΣ Φ.Ο.Π | 1061 |
| ΑΡΙΘΜΟΣ ΦΩΤΙΣΤΙΚΩΝ | |
| ΑΡΙΘΜΟΣ ΠΑΡΟΧΗΣ | M2536369 |
| ΣΕΙΡΙΑΚΟΣ ΑΡΙΘΜΟΣ | 102.408.000980 |
| ΤΟΠΟΘΕΣΙΑ | <u>Χάρτης</u> |



-APR
OVCD-230-DR
Over/Under Voltage Cut-off
Auto-recovery
Ie: 40A, Un: 230V, 50/60Hz
Uvo: 270±5V, Uve: 190±5V
Off-time: <1s
Recovery time: <60s

-K1
/4.3
LC1D25P7
230VAC, 50/60Hz
AC-3: 11kW, 25A
AC-1: 40A (at <60°C)

P1
P2
-TL1
Current Transformer
CT-BK / 4.2
CT-RD1 / 4.2

+FLD
ΑΦΙΣΗ
ΠΑΡΟΧΗΣ
230V, 50Hz

+FLD
ΑΝΑΧΩΡΗΣΗ
ΠΑΡΟΧΗΣ
230V, 50Hz

| | | | | | | | | | |
|----------|------|-------------|------|---|---|--------------------------|------------------|-----------------------|--|
| | | Designed | | Customer: BI AUTOMATIONS Project: | Page description: ΕΙΣΟΔΟΣ - ΕΞΟΔΟΣ ΠΑΡΟΧΗΣ | Panel: | | Function: * | |
| | | Checked | | | | Panel serial number: --- | | Location: + | |
| | | Approved | | | | Doc No: --- | | Structure: B | |
| Revision | Date | Description | Date | 29/2/2024 | | | Order No: --- | Page: 3 | |
| | | | | | | | Contract No: --- | Sheet / Out of: 3 / 4 | |

All rights reserved. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without express authority in writing from BI & AUTOMATIONS.



| | | | | | | | |
|----------|------|-------------|------|---|--|--------------------------|-----------------------|
| 3 | | Designed | | Customer: BI AUTOMATIONS Project: | Page description: ΒΟΗΘΗΤΙΚΟ ΚΥΚΛΩΜΑ | Panel: | Function: = |
| | | Checked | | | | Panel serial number: --- | Location: + |
| | | Approved | | | | Doc No: --- | Structure: & |
| Revision | Date | Description | Date | 29/2/2024 | | Order No: --- | Page: 4 |
| | | | | | | Contract No: --- | Sheet / Out of: 4 / 4 |

SEProchique reserves all rights in this document and the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden.